



REED AND MINIATURE SWITCHES

By Captain Floats

Captain Floats Seizes The Chance To Offer Top-Notch Products With Commitment And Trust.



LET'S CONNECT

+91 90829 02886 / +91 90826 21147

www.captainfloats.com

REED SWITCHES

GENERAL OVERVIEW:

Reed switches are extremely versatile switches that can be used in a wide range of applications. They are typically constructed of two ferromagnetic materials and are activated by an external magnetic field. Different types of reed switches can be used depending on the application.

PRODUCT APPLICATIONS:

Latching reed switches, for example, are ideal for applications where the switch must remain closed or open after the external field is removed. Hermetically sealed reed switches are ideal for applications that require a high level of environmental and disturbance protection, High-Temperature reed switches are frequently used in automotive and other applications requiring high performance in extreme temperatures.

RANGE OF PRODUCTS



OKI REED SWITCH

BRAND : KOFU

SPECIFICATIONS:

Switch Configuration: SPST
Product Weight: LIGHTWEIGHT
Current Rating: 0.7 A
Power / Voltage: 70 W/VA
Usage / Application: Elevator
Output: 6
Glass Diameter: 21 MM

ADDITIONAL INFORMATION

Production Capacity: 10K-50K
Delivery Time: 08- 10 WEEKS
Packaging Details: 1000 BOX



OKI REED SWITCH

BRAND : KOFU

SPECIFICATIONS:

Switch Configuration: SPDT
Product Weight: LIGHT WEIGHT
Current Rating: 10VA
Power/Voltage: 200 DV / 150 AC
Usage/Application: Elevator
Output: 6
Glass Diameter: 14MM

ADDITIONAL INFORMATION

Production Capacity: 10K-50K
Delivery Time: 08- 10 WEEKS
Packaging Details: 2000 BOX

RANGE OF PRODUCTS



COTO REED SWITCH

BRAND : COTO

SPECIFICATIONS:

Switch Configuration: SPST
Product Weight: LIGHTWEIGHT
Current Rating: 0.7 A
Power / Voltage: 70 W/VA
Usage / Application: Elevator
Output: 6
Glass Diameter: 21 MM

ADDITIONAL INFORMATION

Production Capacity: 10K-50K
Delivery Time: 08- 10 WEEKS
Packaging Details: 1000 BOX



COTO REED SWITCH

BRAND : COTO

SPECIFICATIONS:

Switch Configuration: SPDT
Product Weight: LIGHT WEIGHT
Current Rating: 10VA
Power/Voltage: 200 DV / 150 AC
Usage/Application: Elevator
Output: 6
Glass Diameter: 14MM

ADDITIONAL INFORMATION

Production Capacity: 10K-50K
Delivery Time: 08- 10 WEEKS
Packaging Details: 2000 BOX



1523 SPST REED SWITCH

BRAND : [-]

SPECIFICATIONS:

Switch Configuration: SPST
Power/Voltage: 250V AC/DC
Usage/Application: Industrial
Switching Voltage: 250V AC/DC
Switching Capacity: 120 W/VA
Switching Current: 3.0 A Max
Glass Length: 52.0mm
Glass Diameter: 5.4mm

ADDITIONAL INFORMATION

Production Capacity: 10K-50K
Delivery Time: 06- 08 WEEKS
Packaging Details: 1000 BOX

MINIATURE SWITCHES



MICRO SWITCHES

Miniature Switches

SPECIFICATION AND APPLICATION

Micro Switches are used for many different applications within building, automation and security. Some examples of these applications are; Push buttons for alarms and call points – micro switches are used as the buttons within fire alarms, emergency stop controls, emergency door releases.



TACT SWITCHES

Miniature Switches

SPECIFICATION AND APPLICATION

Tact Switches or Tactile Switches are electromechanical devices used to start or stop current flow along a circuit. Devices in this family are often very small and are turned on or off through the use of an actuator that is depressed into the unit's body.



RELAYS

Miniature Switches

SPECIFICATION AND APPLICATION

A relay is an electrically operated switch. It consists of a set of input terminals for a single or multiple control signals, and a set of operating contact terminals. The switch may have any number of contacts in multiple contact forms, such as make contacts, break contacts or combinations thereof.



CONTACT DETAILS



Corporate Office:

53, Shree Manoshi Complex, Plot No. 5 & 6, Sector 3, Opp. Ghansoli Railway station, Ghansoli (E), Navi Mumbai, (MH) 400701, INDIA.



Factory Office:

Unit No. 9, Scientific Complex, Opp.Thakurpada, Mahapa Road, Post Padle, Village, Near Shil Octroi Naka, Thane - 421204, INDIA.



+91 90829 02886
+91 90826 21147



sales@captainfloats.com
captainfloats1@gmail.com



www.captainfloats.com

LET'S CONNECT



Chat With Us

+91 90826 21147

